

# NEW YEAR

## SPECIAL PROMOTION

Start 2025 with Incredible Savings of  
Up To **50% Off** Our Ready-Stocks  
Valid Until 31<sup>st</sup> Mar 2025

\*While Stocks Last



Product/Part	Product Description
10833A	GPIB cable, 1 meter
10833B	GPIB cable, 2 meter
10833C	GPIB cable, 4 meter
10833D	GPIB cable, 0.5 meter, VOLT: DC 300V
10833F	GPIB cable, 6 meter
10833G	GPIB cable, 8 meter, VOLT: DC 300V
10834A	Adapter, extends GPIB connector 2.3 cm
11612A	Bias network
16048D	Test leads (BNC); 2m
34460A / 220	Digital multimeter; 6 1/2 digit; basic Truevolt DMM
34460A / Z54	Digital multimeter; 6 1/2 digit; basic Truevolt DMM with cal report
34461A	Digital multimeter; 6 1/2 digit; basic Truevolt DMM
34461A / 34461A-220	Digital multimeter, 6 1/2 digit, Truevolt DMM
34465A / 34465A-220	Digital multimeter, 6 1/2 digit, Truevolt DMM
3446GPBU	GPIB interface module for DMMs and 33600A Generator

Product/Part	Product Description
<b>34470A / 34470A-220</b>	Digital multimeter, 7 1/2 Digit without GPIB
<b>34470A / 34470A-GPB</b>	Digital Multimeter, 7 1/2 Digit with GPIB
<b>3458A</b>	Digital multimeter; 8.5 digit
<b>3458A/ 3458A-002/3458A-220</b>	Digital multimeter, 8.5 digit with High Stability 4 ppm
<b>346CK01</b>	1GHz to 50 GHz 346 series noise source
<b>34901A</b>	Armature Multiplexer Module for 34970A/34972A, 20-Channel
<b>34904A</b>	Matrix Switch Module for the 34970A, 2-wire, 4 x 8
<b>34921T</b>	Terminal block with temp reference for 34921A
<b>34924A</b>	Reed Multiplexer Module 70-Channel for 34980A
<b>34931A</b>	Dual 4x8 Armature Matrix Module for 34980A
<b>34931T</b>	Terminal Block for 34931A Dual 4x8 Armature Matrix
<b>34934T / 34934T-002</b>	Terminal Block for 34934A Quad 4x32 Reed Matrix
<b>34937T</b>	Terminal block For 34937A and L4437A GP Switch
<b>41800A</b>	Active probe
<b>53230A/010/201</b>	Universal Counter/Timer; 350MHz;12 digits/s; 20ps; LAN; USB;GPIB with Ultra High-stability OCXO Timebase
<b>6652A</b>	500 Watt System Power Supply, 20V@25A
<b>DAQ970A</b>	Data Acquisition System with USB and LAN
<b>DAQ970A/DAQ970A-Z54</b>	Data Acquisition System with USB and LAN
<b>DAQM901A</b>	Multiplexer (2/4-wire) Module 20 Channel
<b>DAQM903A</b>	20 Channel Actuator/GP Switch Module
<b>DSOX3024T/DSOXT3B2T54U-001</b>	Oscilloscope; 4-channel; 500MHz
<b>E36311A</b>	DC power supply, triple-output, 6 V, 5 A and +/-25 V, 1 A, 80 W: USB
<b>E36313A</b>	DC power supply, triple-output; 6 V, 10 A and 2 x 25 V, 2 A, 160 W: LAN,
<b>E3646A</b>	DC power supply, dual output, dual range: 0-8V/ 3 A and 0-20V/1.5 A; 60 W. GPIB
<b>E36731A</b>	Battery Emulator
<b>E4980AL/032/A6J</b>	Precision LCR Meter, 20Hz to 300kHz
<b>E4982A</b>	LCR Meter, 1MHz to 1GHz with opt.700/710/720/810/820/A6J
<b>EDUX1002A</b>	Oscilloscope: 50 MHz, 2 Analog Channels
<b>N2779A</b>	Power supply; 3 channel for N278xA current probe
<b>N2791A</b>	25MHz High Voltage Differential Probe
<b>N4865A</b>	GPIB to LAN Adapter for 7000, 9000A, and 9000 H-Series Oscilloscopes
<b>N5740A</b>	Rack Mount Kit for N5700 and N8700 DC Power Supplies

Product/Part	Product Description
<b>N5744A</b>	DC Power Supply 20V, 38A, 760W; GPIB, LAN, USB, LXI
<b>N5745A</b>	DC Power Supply 30V, 25A, 750W; GPIB, LAN, USB, LXI
<b>N5764A</b>	DC Power Supply 20V, 76A, 1520W; GPIB, LAN, USB, LXI
<b>N5767A</b>	DC Power Supply 60V, 25A, 1500W; GPIB, LAN, USB, LXI
<b>N6700C</b>	N6700C Low-Profile Modular Power System Mainframe, 400W, 4 Slots
<b>N6702A</b>	Low-Profile Modular Power System Mainframe, 1200W, 4 Slots
<b>N6733B/N6733B-760/N6733B-A6J</b>	DC Power module 20V@2.5A@50W with Output Disconnect and Polarity Reversal Relays
<b>N6752A/ N6752A-761/ N6752A-A6J</b>	High-Performance Autoranging DC Power Module 50V@10A@100W with output disconnect relay
<b>N6776A / 760 / A6J</b>	DC Power Module 100V@3A@300W with Output Disconnect and Polarity Reversal Relays
<b>N6791A/ N6791A-1A7</b>	DC Power Module 100 W module, single-wide
<b>N9000B/503</b>	CXA Signal Analyzer; Multi-touch; 9 kHz to 3GHz
<b>N9030B/550/P50</b>	PXA Signal Analyzer, Multi-touch 2 Hz to 50 GHz, preamp
<b>N9069EM0E</b>	Noise Figure Measurement Application
<b>U1733C</b>	LCR Meter, handheld, 20000 count, dual display, 100Hz/120Hz/1KHz/10KHz/100KHz
<b>U5855A</b>	TrueIR Thermal Imager, 350°C

For inquiries regarding specific product availability or pricing under this promotion, email us at [tekmark.kl@tekmarkgroup.com](mailto:tekmark.kl@tekmarkgroup.com) and include the promo code '**NYPromo**'

Scan the QR code to explore other promotions or products in Tekmark e-Shop



Tekmark e-Shop